EAST 09/655,236

			<u> </u>	Ur-	1/8/
L Number	Hits	Search Text	DB	Time stamp	10.56
-	543	(option\$3 NEAR3 field\$1) SAME header\$1 SAME (packet\$1 OR cell\$1 OR frame\$1 OR	USPAT; US-PGPUB;	2003/12/15	10:56
		messag\$3)	EPO; JPO;		
			DERWENT;		
			IBM_TDB		
-	664		USPAT;	2003/12/15	14:12
i	İ	header\$1 SAME (packet\$1 OR cell\$1 OR	US-PGPUB;		
		frame\$1 OR messag\$3)	EPO; JPO; DERWENT;		
			IBM TDB		
-	7132	1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPĀT;	2003/12/15	11:46
		cell\$1 OR frame\$1 OR messag\$3)	US-PGPUB;		
			EPO; JPO; DERWENT;		
			IBM TDB		
-	2605	(header\$1 WITH length\$3) SAME (packet\$1 OR	USPAT;	2003/12/15	11:52
		cell\$1 OR frame\$1 OR messag\$3) SAME	US-PGPUB;		
		(flag\$3 OR bit\$1)	EPO; JPO;		
	]	·	DERWENT; IBM TDB		
_	2100	(header\$1 WITH length\$3) SAME (packet\$1 OR	USPAT;	2003/12/15	11:50
		cell\$1 OR frame\$1 OR messag\$3) SAME	US-PGPUB;		
	İ	((flag\$3 OR bit\$1) WITH (header\$1 OR	EPO; JPO;		
		length\$3))	DERWENT;		
_	1279	((header\$1 WITH length\$3) SAME (packet\$1	IBM_TDB   USPAT;	2003/12/15	11.50
	12,5	OR cell\$1 OR frame\$1 OR messag\$3) SAME	US-PGPUB;	2003/12/13	11.50
		((flag\$3 OR bit\$1) WITH (header\$1 OR	EPO; JPO;		
		length\$3))) AND (370/\$6.ccls. OR	DERWENT;		
		455/\$6.ccls. OR 379/\$6.ccls. OR	IBM_TDB		
_	815	709/\$6.ccls.) ((header\$1 WITH length\$3) SAME (packet\$1	USPAT;	2003/12/15	11.53
	013	OR cell\$1 OR frame\$1 OR messag\$3) SAME	US-PGPUB;	2003/12/13	11.55
		((flag\$3 OR bit\$1) WITH (header\$1 OR	EPO; JPO;		
		length\$3))) AND (radio OR wireless OR	DERWENT;		
		CDMA\$2 OR GPRS OR GSM OR mobile\$1 OR (base ADJ1 station\$1))	IBM_TDB		
_	1171	(header\$1 NEAR3 length\$3) SAME (packet\$1	USPAT;	2003/12/15	11:52
		OR cell\$1 OR frame\$1 OR messag\$3) SAME	US-PGPUB;	1 2000, 22, 20	
		(flag\$3 OR bit\$1)	EPO; JPO;		
1			DERWENT;		
l _	908	(header\$1 NEAR3 length\$3) SAME (packet\$1	IBM_TDB USPAT;	2003/12/15	11.53
		OR cell\$1 OR frame\$1 OR messag\$3) SAME	US-PGPUB;	2003/12/13	11.55
		((flag\$3 OR bit\$1) WITH (header\$1 OR	EPO; JPO;		
		length\$3))	DERWENT;		
l _	363	((header\$1 NEAR3 length\$3) SAME (packet\$1	IBM_TDB USPAT;	2003/12/15	14.31
		OR cell\$1 OR frame\$1 OR messag\$3) SAME	US-PGPUB;	2003/12/13	74.71
		((flag\$3 OR bit\$1) WITH (header\$1 OR	EPO; JPO;		
ĺ		length\$3))) AND (radio OR wireless OR	DERWENT;		
		CDMA\$2 OR GPRS OR GSM OR mobile\$1 OR (base ADJ1 station\$1))	IBM_TDB		
-	172		USPAT;	2003/12/15	14:30
		header\$1 SAME (packet\$1 OR cell\$1 OR	US-PGPUB;		
		frame\$1 OR messag\$3)	EPO; JPO;		
			DERWENT;		
_	1182	(extend\$4 NEAR3 header\$1) SAME (packet\$1	IBM_TDB USPAT;	2003/12/15	14:30
	-102	OR cell\$1 OR frame\$1 OR messag\$3)	US-PGPUB;	2000, 12, 10	
			EPO; JPO;		
			DERWENT;		
_	253	((extend\$4 NEAR3 header\$1) SAME (packet\$1	<pre>IBM_TDB USPAT;</pre>	2003/12/15	14.21
	253	OR cell\$1 OR frame\$1 OR messag\$3)) AND	US-PGPUB;	2003/12/13	14:21
		(radio OR wireless OR CDMA\$2 OR GPRS OR	EPO; JPO;		
[		GSM OR mobile\$1 OR (base ADJ1 station\$1))	DERWENT;		
			IBM TDB		

_	9199	((short ADJ1 messag\$3) OR (short ADJ1 data ADJ1 burst\$3) OR SDB)	USPAT; US-PGPUB;	2003/12/15 15:09
		Abol bulseys, or sbb,	EPO; JPO;	
			DERWENT;	
	1657	convice ADII ention\$1	<pre>IBM_TDB USPAT;</pre>	2003/12/15 16:50
-	1657	service ADJ1 option\$1	US-PGPUB;	2003/12/13 10.30
1			EPO; JPO;	
		•	DERWENT;	
_	1	US-20020159433-A1.DID. AND	IBM_TDB USPAT;	2003/12/15 15:09
_	1	(US-20020159433-A1.DID. and ((short ADJ1	US-PGPUB;	2003/12/13 13.03
		data ADJ1 burst\$3) OR (SDB SAME ((code	EPO; JPO;	
		ADJ1 division\$1) OR CDMA) )))	DERWENT; IBM TDB	
_	0	TIA\$1EIA\$1TSB-58\$3	USPAT;	2003/12/15 15:34
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	!
_	4	TSB-58\$3	USPAT;	2003/12/15 15:34
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	27		USPAT;	2003/12/15 15:56
		option\$5 OR extend\$3) WITH header\$1)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	75	(service ADJ1 option\$1) SAME header\$1	USPAT;	2003/12/15 15:54
	İ		US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	16309	(extend\$3 OR option\$4) WITH header\$1	USPAT;	2003/12/15 15:57
			US-PGPUB; EPO; JPO;	,
		_	DERWENT;	
	700		IBM_TDB	0000/10/15 16 41
_	706	(extend\$3 OR option\$4) WITH header\$1 WITH (flag\$3 OR bit\$1)	USPAT; US-PGPUB;	2003/12/15 16:41
		(11agy) ON DICVI)	EPO; JPO;	
			DERWENT;	
1_	342	((extend\$3 OR option\$4) WITH header\$1 WITH	IBM_TDB USPAT;	2003/12/15 16:50
_	342	(flag\$3 OR bit\$1)) AND (370/\$6.ccls. OR	US-PGPUB;	2003/12/13 10:30
		455/\$6.ccls. OR 379/\$6.ccls. OR	EPO; JPO;	
		709/\$6.ccls.)	DERWENT; IBM TDB	
_	96	   ((extend\$3 OR option\$4) WITH pag\$3 WITH	USPAT;	2003/12/15 16:42
		(flag\$3 OR bit\$1)) AND (370/\$6.ccls. OR	US-PGPUB;	
		455/\$6.ccls. OR 379/\$6.ccls. OR	EPO; JPO; DERWENT;	
		709/\$6.ccls.)	IBM TDB	
_	257	(service ADJ1 option\$1) SAME pag\$3	USPAT;	2003/12/15 16:51
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	13		USPĀT;	2003/12/15 16:58
		(flag\$3 OR bit\$1)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/10/15 15 55
-	305	page ADJ1 response ADJ1 (messag\$3 OR msg)	USPAT; US-PGPUB;	2003/12/15 16:58
			EPO; JPO;	
			DERWENT;	
1	<u>L</u>		IBM TDB	

-	40	(page ADJ1 response ADJ1 (messag\$3 OR	USPAT;	2003/12/15 16:59
i		msg)) SAME (flag\$3 OR bit\$1 OR (special	US-PGPUB;	
	1	ADJ1 servic\$3))	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	5	• = = = = • • • • • • • • • • • • • •	USPAT	2003/12/15 17:31
		"6208634"   "6223028").PN.		
-	1	6363242.URPN.	USPAT	2003/12/15 17:16
-	9284		USPAT	2004/04/23 17:06
-	816		USPAT	2003/12/15 17:31
	220	service\$1option\$1	II CDAM	2004/11/08 07:32
-	228	1	USPAT	2004/11/08 07:32
•		((service ADJ1 option\$1) OR service\$1option\$1)		
1_	1	6421374.URPN.	USPAT	2003/12/15 18:02
<u>-</u>	16		USPAT;	2003/12/15 18:59
		(identif\$3))	US-PGPUB;	2003, 12, 13 10.33
		(Tuenelly 3) )	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	56	(short ADJ1 data ADJ1 burst\$3) AND (CDMA	USPAT;	2003/12/15 19:11
		OR (code ADJ1 division))	US-PGPUB;	2000, 12, 10 13.11
		(**********************************	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3	6614772.pn.	USPAT;	2003/12/16 08:17
İ			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
-	494	(short ADJ1 data ADJ1 burst\$3) OR (SDB	USPAT;	2004/04/23 16:26
		SAME ((code ADJ1 division\$1) OR CDMA) OR	US-PGPUB;	
		TIA\$1EIA\$1IS-2000-A-1 OR (IS-2000-a-1) OR	EPO; JPO;	
		(short ADJ1 messag\$3 ADJ1 system\$1) )	DERWENT;	
			IBM_TDB	
-	9	((short ADJ1 data ADJ1 burst\$3) OR (SDB	USPAT;	2004/04/23 16:27
		SAME ((code ADJ1 division\$1) OR CDMA) OR	US-PGPUB;	
		TIA\$1EIA\$1IS-2000-A-1 OR (IS-2000-a-1) OR	EPO; JPO;	
		(short ADJ1 messag\$3 ADJ1 system\$1) )) AND	DERWENT;	
1		(reserv\$6 WITH (field\$1 OR future\$1))	IBM_TDB	
-	45	(CDMA OR (code ADJ1 division)) AND	USPAT;	2004/04/23 16:28
1	•	(service\$loption\$1 OR (service ADJ1	US-PGPUB;	
ļ		option\$1)) AND (reserv\$6 WITH (field\$1 OR future\$1))	EPO; JPO;	
	ĺ	Iucureși))	DERWENT;	
_	32	(CDMA OR (code ADJ1 division)) AND (data	IBM_TDB   USPAT	2004/04/23 17:08
	, ,,,	ADJ1 burst\$3) AND ((reserv\$7 WITH (field\$1	OSFAI	2004/04/23 17:08
		OR future)) OR RSVD)		
_	14	(US-6223028-\$ or US-6208634-\$ or	USPAT;	2004/11/08 07:31
	•••	US-5963548-\$ or US-6614772-\$ or	US-PGPUB	
		US-6421374-\$ or US-5887252-\$ or		
		US-6590588-\$ or US-6122671-\$ or		
		US-6519239-\$ or US-6363242-\$ or		
		US-6631116-\$).did. or (US-20020159433-\$ or		
	1	US-20030120811-\$ or US-20020027919-\$).did.		
-	11635	W\$1CDMA OR CDMA OR (code ADJ1 division\$1)	USPAT	2004/11/08 07:32
		OR code\$1division\$1		
-	1232	service ADJ2 option\$1 OR service\$1option\$3	USPAT	2004/11/08 07:36
		OR SO\$1number\$1		
-	313	(W\$1CDMA OR CDMA OR (code ADJ1 division\$1)	USPAT	2004/11/08 10:09
		OR code\$1division\$1) AND (service ADJ2		
1		option\$1 OR service\$1option\$3 OR		
	1/2	SO\$1number\$1)	rion	0004/11/00 00 00
1 _	$\nu_2^2$	("5878344"   "5887259").PN.	USPAT	2004/11/08 09:37
] [	764	6208634.URPN.	USPAT	2004/11/08 09:39
1_	764 <b>√</b> 26	<pre>(short ADJ1 data\$1 ADJ1 burst\$3) OR SDB (W\$1CDMA OR CDMA OR (code ADJ1 division\$1)</pre>	USPAT	2004/11/08 10:10
-	20	OR code\$1division\$1) AND ((short ADJ1	USPAT	2004/11/08 10:19
		data\$1 ADJ1 burst\$3) OR SDB)		
_	19	(service ADJ2 option\$1 OR	USPAT	2004/11/08 10:26
		service ADD2 option;1 or service\$1option\$3 OR SO\$1number\$1) AND	ODIAL	2004/11/00 10:20
j		((short ADJ1 data\$1 ADJ1 burst\$3) OR SDB)		
	l	, , construction added in the contraction of one		

			T	0004/11/00 10 07
'  <b>-</b>	<b>√</b> 68	(service ADJ2 option\$1 OR	USPAT	2004/11/08 10:27
		service\$1option\$3 OR SO\$1number\$1) AND	•	
		(data\$1 NEAR2 burst\$3)		
-	14231	header\$1 WITH extend\$5	USPAT;	2004/11/08 10:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		,	IBM TDB	
l -	376	(header\$1 WITH extend\$5) SAME bit\$1	USPAT;	2004/11/08 15:53
İ			US-PGPUB;	
	-		EPO; JPO;	
İ			DERWENT;	
			IBM TDB	
1_	203	(header\$1 WITH extend\$5) SAME bit\$1 AND	USPAT;	2004/11/08 10:59
	203	(370/\$6.ccls. OR 455/\$6.ccls. OR	US-PGPUB;	
		709/\$6.ccls.)	EPO; JPO;	
	•	709730.CCI3.7	DERWENT;	
	,		IBM TDB	
	168	(service ADJ1 reference ADJ1 (ID OR	USPAT;	2004/11/08 11:47
-	.V 108		US-PGPUB:	2004/11/08 11.4/
		identif\$5)) OR SR\$1ID	EPO; JPO;	
			DERWENT;	
1		(1.1.44 61 2.144)	IBM_TDB	2004/11/00 11:50
-	29271	(bit\$1 WITH field\$1) SAME data	USPAT;	2004/11/08 11:50
j		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1127	(bit\$1 WITH field\$1) SAME data SAME	USPAT;	2004/11/08 11:51
		((reserv\$3 OR reservat\$4) WITH field\$1)	US-PGPUB;	
			EPO; JPO;	
		· ·	DERWENT;	
	1 ./		IBM_TDB	
-	V 56	((bit\$1 WITH field\$1) SAME data SAME	USPAT;	2004/11/08 11:51
	1	((reserv\$3 OR reservat\$4) WITH field\$1))	US-PGPUB;	
		AND (W\$1CDMA OR CDMA OR (code ADJ1	EPO; JPO;	
		division\$1) OR code\$1division\$1)	DERWENT;	
			IBM TDB	1